


**DATSUN '1600' SPORTS CAR...it's a winner!**



**DATSUN '1600'**



**sport that 100,000 mile DATSUN smile!**

**ZING!** goes your heart strings when you climb in the cockpit of this '1600' sizzler by Datsun. It's smiles all the way when you rev up the big 1600cc, 96 hp dual-carb engine and put the full synchromesh 4-speed stick through its paces. Standard equipment includes disc brakes up front—and every creature comfort, including a radio. Isn't it time you put a smile in your life?



*EXCITING NEW  
PERFORMANCE AND  
COMFORT FEATURES*

- NEW 1600 cc, 96 hp DUAL-CARB ENGINE
- NEW 4-SPEED, FULL SYNCHROMESH TRANSMISSION
- NEW DISC BRAKES UP FRONT
- NEW LARGER 14-INCH WHEELS
- NEW STRENGTH AND ADDED WEIGHT

*DELIVERS WITH MORE  
STANDARD EQUIPMENT*

ALL TRANSISTOR RADIO • HEATER • BUCKET SEATS • SEAT BELTS • CARPETING • ROLL-UP WINDOWS • DOUBLE AIR VENTS • LARGE DIAL TACHOMETER • ELECTRIC CLOCK • ELECTRIC WINDSHIELD WIPERS • WINDSHIELD WASHER • CIGARETTE LIGHTER AND ASHTRAY • LOCKABLE FLOOR CONSOLE • GLOVE COMPARTMENT • RACING-TYPE STEERING WHEEL • TRIP METER • TURN SIGNALS • VINYL LEATHER UPHOLSTERY • INSIDE AND OUTSIDE MIRRORS • WHITEWALL TIRES • TONNEAU COVER • BOOT • SPORT WHEEL DISCS

*PARTS & SERVICE AVAILABLE FROM COAST TO COAST*



## SPECIFICATIONS\*

### Model SPL-311

#### Engine

Ohv in-line 4 1600 cc  
Bore: 3.433 ins.  
Stroke: 2.630 ins.  
Displacement: 97.32 cu. ins.  
Compression: Ratio: 9.0  
Horsepower: 96 @ 6000 rpm  
Torque: 103 ft. lb. @ 4000 rpm  
SU type twin carb.  
Ignition: 12-volt system  
Alternator, 300 watt

#### Transmission

4 forward syn. gears, 1 reverse.  
Synchromeshed floor stick shift

#### Differential

Type: Hypoid—Semi floating axle  
Gear Ratio: 3.889:1

#### Suspension

Front: Independent coil spring;  
telescopic double action shock  
absorber and torsion bar type  
stabilizer.  
Rear: Parallel semi-elliptic;  
telescopic double action shock  
absorber.

#### Steering

Gear type: Cam and lever. Ratio 14.8:1  
Min. turning radius: 16 ft.

#### Wheels and Tires

4-lug pressed steel wheels;  
560 x 14 4-ply tires

#### Brakes

Front: Disc; 11.18 in. dia.  
Rear: Leading trailing;  
9 in. dia. of drum.

#### Body and Frame

Steel body on x-member frame.  
Wheelbase: 89.8 ins.  
Track: front, 50.0 ins.;  
rear 47.1 ins.  
Overall length: 155.6 ins.  
Overall width: 58.9 ins.  
Overall height: 51.4 ins.  
Gross weight: 2028 lbs.

#### Standard Equipment

Radio; Heater; Carpeting; Bucket Seats;  
Seat Belts; Safety-Glass Roll-up Windows;  
Vents; Vent Controls; Large Dial Tachometer;  
Electric Windshield Wipers; Windshield Washer;  
Cigarette Lighter and Ashtray; Lockable Floor  
Console; Glove Compartment; Race-Type  
Steering Wheel; Self-Cancelling Turn Signals;  
Trip Meter; Inside Mirror; Outside Fender  
Mirror; Vinyl Leather Upholstery; Whitewall  
Tires; Key-locking Doors, Trunk, Locking  
Gas Cap; Tonneau Cover; Boot;  
Sport Wheel Discs; Back-up Lights;  
Spare Tire; Bumper Over Riders.

\*These specifications are  
subject to change without notice.



'1600'

**BIG  
WINNER  
AMONG  
THE  
HARD  
HELMET  
SET**

**TEST IT AT YOUR SMILING DATSUN DEALER**

**DATSUN**

NISSAN MOTOR CORP. IN U.S.A.

PRINTED IN U.S.A. FORM NO. 203-T

**...just ask an owner!**